



SDS - GHS Safety Data Sheet

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Wood-Lok HPM
PRODUCT CODES: HPM
MANUFACTURER: Stuart Forest Products, LLC
ADDRESS: 120 Commerce Street
Stuart, VA 24171
EMERGENCY PHONE: 276-694-3842
PRODUCT INFORMATION: (800) 627-7536
PRODUCT USE: Erosion control mulch for hydraulic seeding

SECTION 2: HAZARDS IDENTIFICATION

Please see Section 3 and 15 for country specific classification information, and Section 11 for additional details.

PRIMARY HAZARDS AND CRITICAL EFFECTS:

Precautionary Statements:

Eye: Wood fibers cause eye irritation. Wear protective eyewear.

Skin Contact: Contact may cause skin irritation. Wear protective gloves.

Inhalation: Cellulosic based fibers are considered a nuisance dust and should be controlled as described in Section VIII herein. Not listed as carcinogen or potential; no National Toxicology Program, IARC or OSHA involvement currently recorded.

Ingestion: No hazard in normal industrial use.

This product is considered not hazardous under 29 CFR 1910.1200 (Hazard Communication).

SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENT NAME:	CAS NO.	Conc. (% w/w)
Virgin Wood Fibers	None	86-89%
Proprietary Tackifier & Additives	N/A	11-14%

Note: See section 8 for occupational exposure limits and section 11 for LC50/LD50 information

SECTION 4: FIRST AID MEASURES

EYES: Open eyelids and flush with water
SKIN: Usually not a problem. Wash with water if irritation is experienced.
INGESTION: Get medical attention.
INHALATION: Should not be a problem. Remove to fresh air if irritation develops. If symptoms develop and persist, get medical attention.

www.applegatemulch.com

800-627-7536

SECTION 5: FIRE FIGHTING MEASURES

FLASH POINT:	Non applicable
EXTINGUISHING MEDIA:	Water. Same as a wood fire.
FIRE FIGHTING PROCEDURES:	Fire fighters should wear positive pressure self-contained breathing apparatus (SCBA). Wear full protective clothing.
AUTOIGNITION TEMP:	400-500°F
FLAMMABILITY:	Combustible product

SECTION 6: ACCIDENTAL RELEASE MEASURES

Scoop up product. Wear goggles and respirator if dust is produced in unventilated areas. Wet product will be slippery.

SECTION 7: HANDLING AND STORAGE

HANDLING:	Clean up areas where fibers settle. Minimize blowdown or other practices that generate high airborne dust concentrations.
STORAGE:	Store in a cool, dry place. Keep away from sources of ignition.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Personal Protective Equip.	Eye Protection: Wear protection when emptying bags and when there is risk to the eyes. Hands: Wear appropriate gloves Feet: The product is slippery when wet. Wear appropriate footwear.
----------------------------	--

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:	Dyed Green Fibers
ODOR:	Mild wood odor
PHYSICAL STATE:	Solid
AUTOIGNITION TEMP:	400°F
EVAPORATION RATE:	N/A
VAPOR DENSITY:	N/A
BULK DENSITY:	22 lbs. / ft ³

SECTION 10: STABILITY AND REACTIVITY

STABILITY:	Stable
CONDITIONS TO AVOID (STABILITY):	Temp. in excess of 400°F
INCOMPATIBILITY (MATERIAL TO AVOID):	Strong acids and oxidizers
HAZARDOUS DECOMPOSITION OR BY-PRODUCTS:	None known
HAZARDOUS POLYMERIZATION:	Not Applicable

SECTION 11: TOXICOLOGICAL INFORMATION

EFFECTS OF CHRONIC EXPOSURE:

Routes of entry: Skin, Eyes, Ingestion, and Inhalation

Skin Contact: Although rare, wood dust can cause dermatitis in sensitized people

Inhalation: Frequent and repeated exposure to wood dust is associated with an increased risk of developing nasal cancer.

SECTION 12: ECOLOGICAL INFORMATION

Not tested, but should be no issues.

SECTION 13: DISPOSAL CONSIDERATIONS

Normally can be disposed of as wood residue. Ensure disposal is in compliance with local, state, and federal regulations.

SECTION 14: TRANSPORT INFORMATION

U.S. DEPARTMENT OF TRANSPORTATION

PROPER SHIPPING NAME: Non Regulated
HAZARD CLASS: None
UN NUMBER: None
PACKING GROUP: None
LABEL STATEMENT: None

IMDG/IMO

PROPER SHIPPING NAME: Non Regulated
HAZARD CLASS: None
UN NUMBER: None
PACKING GROUP: None
LABEL STATEMENT: None

ICAO/IATA

PROPER SHIPPING NAME: Non Regulated
HAZARD CLASS: None
UN NUMBER: None
PACKING GROUP: None
LABEL STATEMENT: None

ADR

PROPER SHIPPING NAME: Non Regulated
HAZARD CLASS: None
UN NUMBER: None
PACKING GROUP: None
LABEL STATEMENT: None

SECTION 15: REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS

TSCA (TOXIC SUBSTANCE CONTROL ACT): All components are either listed or exempt from TSCA

CERCLA: HAZARDOUS SUBSTANCES: No products were found.

313 TOXIC CHEMICAL AND RELEASE REPORTING: No products were found.

311/312 HAZARD CATEGORIES: None

313 REPORTABLE INGREDIENTS: No products were found.

STATE REGULATIONS

CA Prop 65: This product is not known to contain any components listed on California's Proposition 65 List.

STATE RIGHT-TO KNOW

Component	CAS	CA	FL	MA	MN	NJ	PA	RI
None								

CANADIAN REGULATIONS:

WHIMS (Classification): Not a WHIMS controlled product.

INVENTORY STATUS

United States (TSCA): All components are listed or exempted

Canada (DSL): Not Determined

SECTION 16: OTHER INFORMATION

HAZARDOUS MATERIAL INFORMATION SYSTEM:(USA)

Health	1
Fire Hazard	1
Reactivity	0
Personal Protection	X

Refer to Section 8 for additional information on appropriate personal protection equipment

Date of Issue: May 27, 2015

Number of Revision: 1

Date of Revision: May 27, 2015

Reasons for Revision: New format

The information provided in this Safety Data Sheet is correct to the best of our knowledge. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

The fear of the LORD is the beginning of wisdom: a good understanding have all they that do his commandments: his praise endureth for ever. Psalm 111:10